

A close-up, front-facing view of a white car. The car's grille, headlights, and fog lights are visible. A black license plate with the text 'HDM368' is mounted in the center. The license plate is surrounded by a black frame. In the top left corner, there is a blue rectangular logo with the text 'plateSECURE' in white and yellow. At the bottom, there is a yellow and blue banner with text.

plate**SECURE**

Our stylish frames are the perfect accessory for your new plates...

Visit **www.licensys.co.nz**
to order yours now.

\$34.50 Pair
(incl. GST + Shipping)

plate**SECURE**

Standard Plate Frames

Our stylish frames are the perfect accessory for your plates...

You attach the frame to the vehicle, then simply and securely click your standard plate into the frame.

These quality frames carry a 12 month warranty.



GLOSS BLACK SURROUND

\$34.50 Pair (incl. GST + Shipping)

For customer service please

CALL 0800 736 253

Our ordering and delivery service is quick,
so order now and attach your plates with style.



FITMENT GUIDE FOR NEW ZEALAND STANDARD SIZE MOUNTING FRAME



1 Remove the washers from the central lower part of the base plate.



2 Choose a hole combination on the base plate which is suitable for your car



3 Fix the base plate to the car with the included washers and suitable screws



4 Place the number plate centrally on the base plate and ensure that it is held by all the plates retainers



5 Attach the frame by starting at the bottom. Clip it securely into place .



6 Then clip both ends into place, followed by the top



7 Your number plate should be fully attached to the plate SECURE mounting frame



REMOVAL
To remove the plate simply reverse the order of instructions